1 Number		Search Text 257'577.ccls	DB USPAT;	Time stamp 2001/09/17 08:27
4	388	257'577.ccls.	US-PGPUB USPAT; US-PGPUB	2011/49/10 CA:29
19	121	257'577.ccls. and temperature	USPAT; US-PGPUE	2001/09/17 10:45
13	C	23010015475.URPN.	USPAT; US-PGPUE	2001/09/17 08:44
16	Ĉ	20010015475.URPN.	USPAT; US-PGPUB	2002/ 9 27 0+:44
[9	C	20010015475.URPN.	USPAT; UU-FGPUE	2001/09/17 05:44
2	Ĵ	200.00018408.CRFW.	USPAT; US-PGPUE	2001/09/17 08:44
25	Û	20010015475.URPN.	USPAT; US-PGPUB	2001/09/17 08:44
28	e	200.0015475.URPN.	USPAT; US-PGPUE	2001/09/17 05:44
31	C	20010015475.URPN.	USPAT; US-PGPUE	2001/.9/17 08:44
34	Ũ	200.0015475.URPN.	USPAT; US-EGPUE	2001/09/17 09:44
37	0	20010015475.URPN.	USPAT; US-PGPUE	2001/09/17 08:44
40	0	20010315475.URPN.	USPAT; US-PGPUE	2001/09/17 08:44
43	0	20010315475.URPN.	USPAT; US-PGPUB	2001/09/17 08:44
46	27	257 577.ccls. and temperature not process	USPAT; US-PGPUE	2001/09/17 1 :82
49	126	250 417.cdls. and (temperature and (sensor exitor)		01/11/19/17 11:24
<u>5</u> 2	26	25" 417.ccls. and (temperature and 'sensor or switch); not pressure	USPAT; US-PGPUE	2601/09/17 1.:27
: -	-4044	temperature and sensor or switch, not prevsure	USPAT; US-PGPUB	3001/09/1T 12:5+
58	227338	(semiconductor) or (semi adj conductor) and (temperature and (sensor or switch))	USPAT;	2001/09/17 11:31
61	20	not pressure) ((temperature and (sensor or switch)) not	USPAT; US-MBRUE	2001/09/17 10:37
64	20	pressure) and 257/571.cols. ((temperature and (sensor or switch) not pressure) and 257/570.cols.	USPAT; US-PGPUB	2001/09/17 17:57
67	Ç	<pre>(temperature and (sensor or switch)).ti. not pressure and 257/577.cols.</pre>	USPAT; US-PGFUE	3001/09/17 18:01
70	604	<pre>(temperature and (sensor or switch)).ti. not pressure</pre>	USPAT; US-PGPUE	.2001/09/17 13:00
73	<u>-</u>	(temperature and (sensor or switch)).ti. not pressure and 257/417.ccls.	USPAT; US-PGPUB	2001/09/17 13:02
76	0	temperature and (sensor or switch, ,.ti. not trossure and 28%, 428.cols.	USPAT; US-PGPUB	.abg2/09/17/18:10
7g	C	(temperature and (sensor or switch)).ti. not pressure and 257/427.cdls.	USPAT; US-PGPUB	2001/09/17 13:00
~ Ź	Ç	temperature and Teensor or switch .ti. not pressure and 257/444.cols.	USPAT; US-PGPUB	2000/09/17 09:03
85	Û	(temperature and (sensor or switch)),ti. not pressure and 237/577.cols.	USPAT; US-FGFUB	2001/09/17 18: 4
ង់ខ្ញុំ	20	Temperature and (sensor or switch)) not pressure and 257/577.cols.	USPAT; US-PGPUB	2001/09/17 13:40
91	26	temperature and (sensor or switch), not pressure and 257/417.cols.	US PAT; US-PGPUB	20012/09/27 12:49
94	17	(temperature and (sensor or switch)) not pressure and 257/423.cdls.	USPAT; US-FGFUB	2001/09/17 13:50
am am	20	<pre>(temperature and (sensor or switch)) not pressure and 257/577.cols.</pre>	USFAT; US-PGPUB	2001/09/17 13:51
100	26	((temperature or heat) and (sensor or switch)) and 257/577.ccls.	USPAT; US-PGFUB	2001/09/17 1::En
103	388	257/577.ccls.	USPAT; US-FGEUB	2001/09/17 14:24

11. F	9-257/417.ccls.	USPAT; US-EGPUB	2 **12****** 14:0*
109 16	1 257/417.ccis. and temperature	USPAT; US-PGPUB	2001/09/17 14:27
112 17	4 257/417.ccls. and (temperature or heat)	USPAT; US-PGPUB	2661/09/17 14:27
- 22677	3 semiconductor	USPAT; US-PGPUB	2001/09/15 13:5.
- 23272	6 (semiconductor) or (semi adj conductor)	USPAT; US-PGPUB	2001/09/17 11:29
- 401	<pre>1 ((semiconductor) or (semi adj conductor)) adj switch</pre>	USPAT; US-PGPUB	2001/09/15 14:39
- 46	2	USPAT; US-PGPUB	2001/09/15 14:39
- 23272	6 (semiconductor) or (semi adj conductor)	USPAT; US-PGPUB	2001/09/15 14:3A
- 4 K	l temperature adj protected	USPAT; US-PGPUB	2001/09/15 14:39
401	<pre>1 ((sem:conductor) or (semi adj conductor)) adj switch</pre>	USPAT; US-PGPUB	2001/09/15 14:4
-	<pre>(((semiconductor) or (semi adj conductor)) adj switch) and (temperature adj protected)</pre>	USPAT; US-PGFUB	2001/09/15 14:41

	Comments	Error	Definition	Err			
	Commence			ors			
37				0			
				Ŭ			